

SYF-990/SILICONE SPRAY FOOD GRADE SILICONE SPRAY

Product Description

SYF 990/SILICONE SPRAY is a formulation of silicone fluid, propellants and additives on spraying, the silicone fluid is deposited on the surface to which it is applied & the propellant (solvent if added) vaporizes. The silicone fluid forms a durable invisible protective film which protects lubricates and water proofs all surfaces -40°C to + 230°C.

Registered by NSF (Class H1) for use where there is potential for incidental contact with food. These products meet the former guidelines (1998) of the US Department of Agriculture Food Safety and Inspection Service (USDA FSIS) for H1 use (lubricant with incidental food contact) and listed in Miscellaneous Publication No 1419 "List of Proprietary Substances and Nonfood Compounds". Product contains only substances permitted under US 21 CFR 178.3570, 178.3620 and 182 for use in lubricants with incidental food contact.

They do not contain any natural products derived from animals, nuts or genetically modified organisms (GMOs). It is suitable for use where vegetarian and nut-free food is prepared and do not promote the growth of bacteria or fungal organisms.

Applications

SYF 990/SILICONE SPRAY is a multipurpose product.

- Waterproofs and insulates all surfaces.
- Excellent lubricant for automatic machines in contact with water.
- Maintains the elasticity of rubber and prevents it from sticking.
- Restore sheen to plastic surfaces.
- It is an ideal mold release agent.
- It is a cleaner for texturizing machines.

Benefits Application tips

Clean the surfaces for optimal effect. Spray on thinly and evenly. Avoid excesses. Caution: Only mix with suitable lubricants. Plastic based on silicone, such as silicone rubber can be attacked by silicone oil. Silicone may not be used at sliding points under pure oxygen.

- **Caution:** Do not spray on or near naked flame or any other source of ignition, as contents are highly flammable. It is a pressurized container, do not drop, puncture or expose to temperature above 55°C. Do not spray into eyes, mucous membranes & body, in case of accident wash eyes with clean water.

Typical Properties

PROPERTIES	VALUES
Base oil	Polydimethylsiloxane
Viscosity @ 29.5°C	330 mm ² /s
Pour point, °C	-50
Flash point, °C	> 300
Density	0.97
Color	Transparent
Temperature Range, °C	-40°C to + 230

Available Packs: 400 ML / 500 ML Aerosol Pack.

Shelf Life – 36 Months from the Manufacturing month.

Due to continual product research and development, the information contained herein is subject to change without notification. Typical Properties may vary slightly The Material Safety Data Sheet (MSDS) are available upon request through our sales office. All related specifications are meets or exceeds.

PETRELPLUS INC.

One World Center, Tower One, 9th Floor, Senapati Bapat Marg, Lower Parel, Mumbai-400013
mail-marketing@petrelplus.com, www.petrelplus.com

+91 93522 25457

+91 95098 25457



1. PRODUCT AND COMPANY IDENTIFICATION

Product SYG-990/SILICONE SPRAY
Supplier PETRELPLUS INC.

One World Center, Tower One, 9th Floor, Senapati Bapat Marg, Lower Parel, Mumbai-400013, Maharashtra.
Call # +91 22 6216 7072
(Monday to Friday)
Cell # +91 93522 25457
marketing@petrelplus.com
www.petrelplus.com

2. COMPOSITION

No harmful substances. Silicone and Odorless LPG.

3. HAZARDS IDENTIFICATION

Not classified as Hazardous.

4. FIRST-AID MEASURES

RESPIRATORY SYSTEM: Remove to fresh air and get medical attention.

INGESTION: Do not induce vomiting. Wash mouth out with water and obtain medical attention.

EYES: Rinse immediately with plenty of water for at least 10 minutes. Get Medical Attention.

SKIN: Remove contaminated clothing. Wash affected area with soap and water, get medical attention.

5. FIRE-FIGHTING METHODS

Foam, carbon dioxide or dry powder.

6. ACCIDENTAL RELEASE MEASURE

Contain and absorb in sand or earth. Ensure no material enters drains or water courses. Dispose of as solid waste in accordance with the relevant waste disposal regulations.

7. STORAGE AND HANDLING

Handling - At ambient temperatures wear gloves overalls and eye protection. The work area should be adequately ventilated. No eating drinking or smoking in the work area.

Storage - Store in delivery packs in a cool & dry place.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Standard:

The substance with exposure limit is: Notation 1: Exposure Standard: 2nd substance with exposure limit is: Notation 2:

PERSONAL PROTECTION

Respiratory Protection:

Type of Cartridge (if Applicable): Eye Protection: Safety Spectacles

Hand Protection: Gloves butyl or nitrile rubber

Industrial Hygiene: No eating drinking or smoking in the work area Ventilation: At room temperature handle in a well-ventilated area.

Use exhaust ventilation if exposure to flume or aerosol can occur.

PROTECTION AGAINST FIRE AND EXPLOSION

Combustible but not readily ignited. No explosion hazard.

EC SAFETY PHRASES: Not classified as hazardous.

9. TYPICAL PROPERTIES

Color	- Transparent
Pour Point, °C	- (-50)
Temperature range, °C	- (-40 to 230)
Flash Point, °C	- (>300)

10. STABILITY AND REACTIVITY

HAZARDOUS REACTIONS

Comments

HAZARDOUS DECOMPOSITION PRODUCTS Thermal decomposition produces noxious fumes.

11. TOXICOLOGICAL INFORMATION

LD50 Acute Oral Toxicity: > 5000:mg/Kg:Rat

LC50 Acute Inhalation: :mg/1

Eye Irritation: No: Rabbit

Skin Irritation: No.: Rabbit

Sensation: No

Further Information:

12. ECOLOGICAL INFORMATION

LC50 (96 Hour): mg/1

EC50 (24 Hour): mg/1

Biodegradability (Coupled units):

13. DISPOSAL CONSIDERATIONS

Solid material should be incinerated. Material absorbed on sand should be disposed of as solid waste.

14. TRANSPORT INFORMATION

IMDG No.: Not classified

Packing Groups: IATA-DGR Class No.: Not classified

TREMCARD: Not classified

RID/ADR Class No.: Not classified

Other Information

15. REGULATORY INFORMATION

Classification and labeling according to EC Directives 67/548

Not classified as hazardous. EC Risk Phrases

Not classified as hazardous. Other Hazardous

EC Safety Phrases

Not classified as hazardous

16. OTHER INFORMATION: PRODUCT SAFETY

For safety reasons, it is IMPERATIVE that customer: - Ensure that all those within their control who use the products are supplied with all relevant information contained within the Material Safety Data Sheet and Technical Bulletin concerning the applications for which the product is designed and any instructions or warning.

DISCLAIMER/USER'S RESPONSIBILITY: PETRELPLUS INC. Provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriate use.